

EVERLIFT

**ONE-STOP
SOLUTION FOR
MATERIAL HANDLING
EQUIPMENT**



EVERLIFT



Ningbo Everlift Machinery Co., Ltd.

Tel: +86-574-28877236

E-mail: info@everlift-mhe.com

Web: www.everlift-mhe.com

Address: Everlift Building 4, No. 597 Zhaohui Road, Yinzhou District, Ningbo City, China.

NINGBO EVERLIFT MACHINERY CO., LTD.

ABOUT US

Ningbo Everlift Machinery Co., Ltd., founded in the 1980s, is a leading manufacturer of material handling and intelligent warehousing equipment in China. EVERLIFT integrates R&D, manufacturing, sales, and after-sales service, providing customers with complete one-stop material handling solutions.


Backed by strong engineering expertise and advanced manufacturing capabilities, EVERLIFT delivers One-stop solutions, including warehouse planning and layout design, racking system integration, the selection and supply of forklifts and all the tools used in warehouse. These capabilities help customers significantly improve operational efficiency and warehouse performance.

Our products have been exported to more than 100 countries and regions worldwide. With established sales and service networks across Asia, Australia, Europe, the Americas, and the Middle East, EVERLIFT ensures reliable and responsive global support for its customers.

CATALOGUE

Electric Pallet Truck	01
Electric Stacker	02-03
Forklift Truck	04-06
Forklift Attachment	06
Aerial Work Platform	07-08
Floor Sweeper	09-10
Lift Table	11
Manual and Drum series	12
Others	13-14

FACTORY HISTORY



ELECTRIC PALLET TRUCK


ELEP-15/20(YLI)

Rated Capacity: 1500/2000kg
Fork Size: 550*1150/685*1220mm
Battery: Lithium Battery 24V/20Ah 48V/15Ah
Gel Battery: 24V/65Ah


ELEP-15/20(ZLI)

Rated Capacity: 1500/2000kg
Fork Size: 550*1150/685*1200mm
Battery: Lithium Battery 48V/10Ah (48V/15Ah)


ELEP-15/20

Rated Capacity: 1500/2000kg
Fork Size: 550*1150/685*1200mm
Battery: Gel Battery 24V/85Ah
Dual Li-battery: 24V/25Ah*2


ELEP-30(T)

Rated Capacity: 3000kg
Fork Size: 560*1150/685*1200mm
Battery: Gel Battery 48V/30(65)Ah


HPT-20S

Rated Capacity: 2000kg
Fork Size: 550*1150mm/685*1220mm
Battery: Lithium Battery 48V/15Ah


ELEP-35H/40/50H

Rated Capacity: 4000/5000KG
Fork Size: 550/680*1212/1365/1517/2432mm
Battery: Lead Acid Battery 24V/360Ah


ELEP-20/25/30

Rated Capacity: 2000kg
Fork Size: 550*1150/685*1200mm
Battery: Gel Battery 24V/210Ah


ELEP-20/25/30D(N)

Rated Capacity: 2000/2500/3000kg
Fork Size: 550*1150/685*1220mm
Battery: Gel Battery 48V/85Ah

ELECTRIC STACKER


ELES-12/15J

Rated Capacity: 1200/1500kg
Lifting Height: 1600-4000mm
Battery: 24V/85(100)Ah


ELES-12/15J

Rated Capacity: 1200/1500kg
Lifting Height: 1600-3500mm
Battery: 24V/80(100)Ah


SEM10/15/20

Rated Capacity: 1000/1500/2000kg
Lifting Height: 1600-4500mm
Battery: 12V/120Ah


ELES-15/16/20F

Rated Capacity: 1500/2000kg
Lifting Height: 1600-4000mm
Battery: 24V/100Ah


ELES-20E

Rated Capacity: 2000kg
Lifting Height: 1600-4000mm
Battery: 48V/65Ah


ELES-15/20E

Rated Capacity: 1500/2000kg
Lifting Height: 2000-5000mm
Battery: 24V/165Ah


ELES-16/20P

Rated Capacity: 1500/2000kg
Lifting Height: 2000-4000mm
Battery: 24V/240Ah


ELES-15/20H

Rated Capacity: 1500/2000kg
Lifting Height: 4000-6200mm
Battery: 24V/240Ah



ELES-03/05C 10EA

Rated Capacity: 300/500/1000kg
Lifting Height: 1300-1600mm
Battery: 12V/45Ah



ELES-12/15EB

Rated Capacity: 1300/1500kg
Lifting Height: 1300-1600mm
Battery: 48V/30Ah



ELES-15EB

Rated Capacity: 1500kg
Lifting Height: 900-1600mm
Battery: 48V/30Ah

FORKLIFT TRUCK



FB10-35E

Electric Forklift

Rated Capacity: 1000/1500/2000/2500/3000/3500kg
Lifting Height: 3000-6000mm
Battery: 60V/120/160/210Ah/72V260Ah



FB20-40

Electric Forklift

Rated Capacity: 2000/2500/3000/3500/3800/4000kg
Lifting Height: 3000-6000mm
Battery: 80V/125/202/280AH



ELES-10/13/15/16/20CE

Rated Capacity: 1000/1300/1500/1600/2000kg
Lifting Height: 1600-5000mm
Battery: 48V60(80)Ah; 24V/240Ah



ELES-12/15/20RE

Rated Capacity: 1200/1500/2000kg
Lifting Height: 1600-5000mm
Battery: 24V/240Ah



ELES-25/30

Rated Capacity: 2500/3000kg
Lifting Height: 1600-5500mm
Battery: 24V/240Ah



FB15/20E

Electric Forklift

Rated Capacity: 1500/2000kg
Lifting Height: 3000-6000mm
Battery: 80V/120/150/180Ah



FD20-35

Diesel Forklift

Rated Capacity: 2000/2500/3000/3500kg
Lifting Height: 3000-7000mm
Engine: XINCHAI/MITSUBISHI
NISSAN/YANMAR/KUBOTA



CPCD35

HELI Forklift

Rated Capacity: 3500kg
Lifting Height: 3000-6000mm
Engine: CHINESE/JAPANESE ENGINE



ELES-15D

Rated Capacity: 1500kg
Lifting Height: 1600-3500mm
Battery: 24V/100Ah



ELES-15K

Rated Capacity: 1500kg
Lifting Height: 1500-1600kg
Battery: 24V/100Ah



ELES-14RS

Rated Capacity: 1400kg
Lifting Height: 4500-5500mm
Battery: 24V/345Ah or 24V/200Ah lithium



FD20-35T

Diesel Forklift

Rated Capacity: 2000/2500/3000/3500kg
Lifting Height: 3000-6000mm
Engine: XINCHAI/GQ-4Y/CUMMINS/MITSUBISHI
NISSAN/YANMAR/KUBOTA



FG20-70

Gasoline/LPG Forklift

Rated Capacity: 2000/2500/3000/3500kg~7000kg
Lifting Height: 3000-6000mm
Engine: NISSAN K21/K25/KUBOTA



FD25-35(R)

Off-road Forklift

Rated Capacity: 2500/3000/3500kg
Lifting Height: 3000-6000mm
Engine: XINCHAI/YANMAR/KUBOTA



FD80-160

Diesel Forklift

Rated Capacity: 8000/10000/12000/16000kg
Lifting Height: 3000-6000mm
Engine: XICHA/QUANCHAI
MITSUBISHI/ISUZU/CUMMINS



FB50-100

Electric Forklift


Rated Capacity: 5000/7000/8000/10000kg
Lifting Height: 3000-6000mm
Battery: 80V/500-900Ah



FB20/25/30J

Articulated Forklift

Rated Capacity: 2000/2500/3000kg
Lifting Height: 4600-12500mm
Battery: 80V/500Ah



CQD25F

Four-Directional Forklift

Rated Capacity: 2500kg
Lifting Height: 4500-6000mm
Battery: 24V/360/420Ah



CQD30/50A

Multi-Directional Forklift

Rated Capacity: 3000/5000kg
Lifting Height: 4500-8500mm
Battery: 24V/360/420Ah



CQD60-80T

Electric Tractor

Rated Traction Weight: 6000/8000kg
Driving Speed (Loaded /Unloaded): 8/12km/h
Battery: 48V/280Ah



CQD10-20E

Reach Truck

Rated Capacity: 1000/1500/2000kg
Lifting Height: 3000-6000mm
Battery: 24V/270Ah



CQD15-30K

Reach Truck

Rated Capacity: 1500/2000/2500/3000kg
Lifting Height: 3000-13000mm
Battery: 48V/320/440Ah



CQD15/16/20S

Scissor Reach Truck

Rated Capacity: 1500/1600/2000kg
Lifting Height: 2500-10200mm
Battery: 48V/300/400Ah


FORKLIFT ATTACHMENT




Fork Extensions



Hinged Attachment




Fork Positioners



Carton Clamp



Roll Clamps



Push Pulls



Rotators



Bale Clamps



Single Double Pallet Handlers



CQD10/15/16

3-Way Forklift

Rated Capacity: 1000/1500/1600kg
Lifting Height: 3000-10000mm
Battery: 48V/400/420Ah



CQD15/16M

3-Way Forklift

Rated Capacity: 1500/1600kg
Lifting Height: 3000-14500mm
Battery: 48V/540Ah



CQD10/15P

Order Picker

Rated Capacity: 1000/1500kg
Lifting Height: 3000-9000mm
Battery: 24V/360/420Ah

AERIAL WORK PLATFORM


AWP-1000

Rated Capacity: 125/150kg
Platform Height: 6/8/10m
Battery: 2x12V/60Ah


AWP-2000

Rated Capacity: 200/250/300kg
Platform Height: 6/8/10/12m
Battery: 2x12V/60Ah


SJY0.5

Rated Capacity: 500kg
Platform Height: 6/8/10/12/14m
Battery: Option


SJY0.5

Rated Capacity: 500kg
Platform Height: 6/8/10/12/14m
Battery: 2X12V/120Ah


JCPT

Rated Capacity: 365kg
Platform Height: 12m
Platform Extend Capacity: 140kg
Battery: 24V/200Ah


MINI SJY0.3

Rated Capacity: 300kg
Platform Height: 3/3.9/4.8m
Battery: 12V/60/80Ah


MINI SJY3

Rated Capacity: 300kg
Platform Height: 3/3.9/4.8m
Battery: 12V/60/80Ah


FAWP

Rated Capacity: 150/200kg
Platform Height: 7.5/9m
Battery: 2x12V/150Ah


FSJY

Rated Capacity: 300/500kg
Platform Height: 6/8/10/12/14m
Platform Extend Capacity: 113kg
Battery: 24V/200Ah


FSJY6/8

Rated Capacity: 300kg
Platform Height: 6/8m
Platform Extend Capacity: 100kg
Battery: 24V/150Ah


JCPT

Rated Capacity: 320kg
Platform Height: 11.8m
Platform Extend Capacity: 113kg
Battery: 24V/200Ah


SEP2

Rated Capacity: 200kg
Platform Height: 2.7/3.3/4.0/4.5m
Battery: 12V/120Ah


FSEP3

Rated Capacity: 300kg
Platform Height: 2.7/3.3/4.0/4.5m
Battery: 2X12V/100Ah


FOP

Rated Capacity: 150kg
Platform Height: 3/4m
Battery: 2X12V/100Ah


GTBZ

Rated Capacity: 230kg
Platform Height: 14/16/18/20/24/26/30m
Engine: KUBOTA


GTBZ

Rated Capacity: 200kg
Platform Height: 9/11/12/14/16/18/20m
Battery: 48V/320/420Ah

FLOOR SWEEPER



ELXD15

Cleaning Width: 350mm
Theoretical Working Efficiency: 1520m²/h
Water Tank Capacity: 13L
Battery: 24V/32Ah



ELXD50

Cleaning Width: 530mm
Theoretical Working Efficiency: 2800m²/h
Water Tank Capacity: 50L
Battery: 24V/100Ah



EL920

Cleaning Width: 920mm
Theoretical Working Efficiency: 3860m²/h
Water Tank Capacity: 55L
Battery: /



EL1000

Cleaning Width: 990mm
Theoretical Working Efficiency: 3860m²/h
Water Tank Capacity: 23L
Battery: 12V/100Ah



EL1250

Cleaning Width: 1250mm
Theoretical Working Efficiency: 6000m²/h
Water Tank Capacity: 80L
Battery: 48V/67Ah

SINGLE/DOUBLE BRUSH(ES)



ELXD55

Cleaning Width: 540mm
Theoretical Working Efficiency: 2600m²/h
Water Tank Capacity: 55L
Battery: 24V/100Ah



ELXD85

Cleaning Width: 580mm
Theoretical Working Efficiency: 4100m²/h
Water Tank Capacity: 85L
Battery: 24V/100Ah



ELXD120

Cleaning Width: 800mm
Theoretical Working Efficiency: 4240m²/h
Water Tank Capacity: 120L
Battery: 24V/200Ah



EL1450

Cleaning Width: 1450mm
Theoretical Working Efficiency: 9000m²/h
Water Tank Capacity: 170L
Battery: 48V/80Ah



ELGL4

Cleaning Width: 1000mm
Theoretical Working Efficiency: 8000m²/h
Water Tank Capacity: 60L
Battery: 48V/67Ah



ELGL5

Cleaning Width: 1350mm
Theoretical Working Efficiency: 8000m²/h
Water Tank Capacity: 120L
Battery: 48V/80Ah



ELXD160

Cleaning Width: 850mm
Theoretical Working Efficiency: 6800m²/h
Water Tank Capacity: 155L
Battery: 24V/200Ah



ELXD200

Cleaning Width: 1010mm
Theoretical Working Efficiency: 8800m²/h
Water Tank Capacity: 240L
Battery: 36V/203Ah



ELXS01

Cleaning Width: 1500mm
Theoretical Working Efficiency: 2-3h
Water Tank Capacity: 240L
Battery: 36V/203Ah



ELGL10

Cleaning Width: 1900mm
Theoretical Working Efficiency: 13000m²/h
Water Tank Capacity: 180L
Battery: 48V/100Ah



ELCX-S10

Cleaning Width: 1900mm
Theoretical Working Efficiency: 13000m²/h
Water Tank Capacity: 180L
Battery: 48V/100Ah



ELCG-S10

Cleaning Width: 1900mm
Theoretical Working Efficiency: 13000m²/h
Water Tank Capacity: 180L
Battery: 48V/100Ah

LIFT TABLE



ELPT

Manual High Lift Truck

Rated Capacity: 150/300/500/1000kg
Lifting Height: 210-1000mm



ELSF

Manual High Lift Truck

Rated Capacity: 1000/1500kg
Lifting Height: 85-820mm



ELDS

Full Electric High Lift Truck

Rated Capacity: 1000kg
Fork Size: 550/685*1110mm



ELDH

Stationary Lift Tables

Rated Capacity: 1000/2000/3000kg
Lifting Height: 470-4000mm



ELDP

SEMI Electric Lift Tables

Rated Capacity: 350/500/800/1000kg
Lifting Height: 360-1700mm



ELMT

Lifting Height: Can be Customized

Rated Capacity: 1000/1500/2000kg
Lifting Height: 400-1500mm



ELHS

Hand Stacker

Rated Capacity: 200kg
Lifting Height: 900/1100mm



CUSTOMIZED MODEL

Roll Lift Stacker

Rated Capacity: Can be Customized
Lifting Height: Can be Customized

MANUAL AND DRUM SERIES



HPT-20/30/50

Hand Pallet Truck

Rated Capacity: 2000/3000/5000kg
Fork Size: 550*1150mm/685*1220mm



HPT-30S

Hand Pallet Truck with Scale

Rated Capacity: 3000kg
Fork Size: 550*1150mm/685*1220mm



HPT-25/30G

Galvanized Pallet Truck

Rated Capacity: 2500/3000kg
Fork Size: 550*1150mm/685*1220mm



HPT-20/30SS

Stainless Steel Pallet Truck

Rated Capacity: 2000/3000kg
Fork Size: 550*1150mm/685*1220mm



HPT-20R

Paper Roll Hand Pallet Truck

Rated Capacity: 2000kg
Fork Size: 1220*860/990/1030mm



CUSTOMIZED MODEL

Customized Hand Pallet Truck (Extra Wide)

Rated Capacity: Can be Customized
Fork Size: Can be Customized



MS0512-2020

Hand Stacker

Rated Capacity: 500/1000/1500/2000kg
Lifting Height: 1200-3000mm



MS0512-2020

Hand Stacker

Rated Capacity: 500/1000/1500/2000kg
Lifting Height: 1200-3000mm



MS0512S-2020S

Stainless Steel Hand Stacker

Rated Capacity: 500/1000/1500/2000kg
Lifting Height: 1200-3000mm



DS

Hand Drum Stacker

Rated Capacity: 350/450kg
Lifting Height: 1500mm




SDS

Semi Electric Drum Stacker

Rated Capacity: 350kg
Lifting Height: 2000-3500mm

OTHERS



PRODUCT SPECIFICATION 2000*2000MM

PLATFORM WIDTH	2000MM
PLATFORM LENGTH	2000MM
PLATFORM HEIGHT	600MM
FOUNDATION PIT WIDTH(W)	2030MM
FOUNDATION PIT LENGTH(L)	2000MM
FOUNDATION PIT HEIGHT(H)	610MM
LENGTH OF THE TONGUE PLATE	400MM

PRODUCT SPECIFICATION 2000*2500MM

PLATFORM WIDTH	2000MM
PLATFORM LENGTH	2500MM
PLATFORM HEIGHT	600MM
FOUNDATION PIT WIDTH(W)	2030MM
FOUNDATION PIT LENGTH(L)	2500MM
FOUNDATION PIT HEIGHT(H)	610MM
LENGTH OF THE TONGUE PLATE	400MM


FIXED DOCK LEVELER HYDRAULIC/MECHANICAL



MOBILE DOCK LEVELER



MOBILE CARGO HANDLING PLATFORM



EVERLIFT

